RECEIVED 10/30/2023

EXISTING PARCEL 1					
PNT#	Bearing	Distance	Northing	Easting	
6093			343412.76	1280926.55	
	S 01°48'25" W	338.45			
6094			343074.47	1280915.88	
	N 88°58'17" W	649.12			
6095			343086.12	1280266.87	
	N 01°43'02" E	339.61			
107			343425.58	1280277.05	
	S 88°52'07" E	40.39			
108			343424.78	1280317.43	
	N 01°40'22" E	210.34			
6091	14 01 10 00 0	210101	343635.03	1280323.57	
0031	S 88°45'58" E	281.00	747033.03	1200323.37	
6000	2 00 43 30 E	201.00	343628.98	1200604 50	
6090	57 0404E1424 W	452.04	343020.90	1280604.50	
	N 01°45'43" E	453.24	044000 00	1000510 44	
6089			344082.00	1280618.44	
	S 88°39'49" E	329.07			
6096			344074.33	1280947.43	
	S 01°48'25" W	333.45			
6097			343741.04	1280936.91	
	S 88°45'58" E	1.20			
6098			343741.02	1280938.11	
	S 01°45'43" W	328.45			
6099			343412.73	1280928.01	
	N 88°52'07" W	1.45			
6093			343412.76	1280926.55	
Closure Error Distance> 0.0054 Error Bearing> S 02°20'36" E					
Closure Precision> 1 in 613748.8 Total Distance> 3305.77					

Area: 497406SF, 11.4189AC

EXISTING PARCEL 2

PNT# Bearing	Distance	Northing	Easting	
6079		344091.24	1280222.55	
S 03°27'41" W	157.55			
6080		343933.98	1280213.04	
s 63°51'32" W	114.00			
6081		343883.75	1280110.70	
S 03°34'29" E	73.20			
6082		343810.69	1280115.26	
S 01°31'31" E	52.00			
6083	× 0.00	343758.71	1280116.65	
S 01°14'52" E	9.26	343749.45	1200116 05	
S 70°17'00" W	76.00	343/45.45	1200110.00	
6085	70.00	343723.81	1280045.30	
s 48°09'30" W	30.00	V / / / / / / /		
6086		343703.80	1280022.95	
S 89°12'31" W	59.00			
6087		343702.99	1279963.96	
N 01°40'22" E	185.73			
6075		343888.64	1279969.38	
N 88°19'38" W	15.00			
6078		343889.08	1279954.39	
N 01°40'22" E	208.36			
6088		344097.35	1279960.47	
S 88°39'49" E	262.15			
6079		344091.24		
Closure Error Distance> 0.0073 Error Bearing> N 06°40'31" E Closure Precision> 1 in 170321.5 Total Distance> 1242.25				
Area: 76129SF, 1.7477AC				
ALEd: -/01235F, 1./4//AC				

EXISTING PARCEL 3					
PNT# Bearing	Distance	Northing	Easting		
6089		344082.00	1280618.44		
S 01°45'43" W	453.24				
6090		343628.98	1280604.50		
N 88°45'58" W	281.00				
6091		343635.03	1280323.57		
s 01°40'22" W	210.34				
108		343424.78	1280317.43		
N 88°52'07" W	361.45				
6092		343431.92	1279956.04		
N 01°40'22" E	271.18				
6087		343702.99	1279963.96		
N 89°12'31" E	59.00				
6086		343703.80	1280022.95		
N 48°09'30" E	30.00				
6085		343723.81	1280045.30		
N 70°17'00" E	76.00				
6084		343749.45	1280116.85		
N 01°14'52" W	9.26				
6083		343758.71	1280116.65		
N 01°31'31" W	52.00				
6082		343810.69	1280115.26		
N 03°34'29" W	73.20				
6081		343883.75	1280110.70		
N 63°51'32" E	114.00				
6080		343933.98	1280213.04		
N 03°27'41" E	157.55				
6079		344091.24	1280222.55		
S 88°39'49" E	396.00				
6089		344082.00	1280618.44		
Closure Error Distance>	0.0102 Err	ror Bearing>	N 52°58'53" W		

Closure Precision> 1 in 249511.1 Total Distance> 2544.22
Area: 294837SF, 6.7685AC

CONVEYANCE

PNT#	Bearing	Distance	Northing	Easting
6096			344074.33	1280947.43
	S 01°48'25" W	333.45		
6097			343741.04	1280936.91
	S 88°45'58" E	1.20		
6098			343741.02	1280938.11
	s 01°45'43" W	22.64		
6100			343718.39	1280937.41
	N 88°39'49" W	216.78		
6101			343723.44	1280720.69
	s 50°53'15" W	149.74		
6090			343628.98	1280604.50
	N 01°45'43" E	453.24		
6089			344082.00	1280618.44
	S 88°39'49" E	329.07		
6096			344074.33	1280947.43

Closure Error Distance> 0.0048 Error Bearing> S 01°18'04" E Closure Precision> 1 in 315051.9 Total Distance> 1506.12

Area: 122654SF, 2.8157AC

NEW PARCEL 1				
PNT#	Bearing	Distance	Northing	Easting
6100			343718.39	1280937.41
	s 01°45'43" W	305.81		
6099			343412.73	1280928.01
	N 88°52'07" W	1.45		
6093			343412.76	1280926.55
	S 01°48'25" W	338.45		
6094			343074.47	1280915.88
	N 88°58'17" W	649.12		
6095			343086.12	1280266.87
	N 01°43'02" E	339.61		
107			343425.58	1280277.05
	S 88°52'07" E	40.39		
108			343424.78	1280317.43
	N 01°40'22" E	210.34		
6091			343635.03	1280323.57
	S 88°45'58" E	281.00		
6090			343628.98	1280604.50
	N 50°53'15" E	149.74		
6101			343723.44	1280720.69
	S 88°39'49" E	216.78		
6100			343718.39	1280937.41
Closure Error Distance> 0.0006 Error Bearing> S 10°30'08"				
Closure Precision> 1 in 4134091.0 Total Distance> 2532.69				

 \mathbf{E} Area: 374752SF, 8.6031AC

Block 1 Total Area: 1861299SF 42.7296AC

NEW PARCEL 2					
PNT#	Bearing	Distance	Northing	Easting	
6096			344074.33	1280947.43	
	S 01°48'25" W	333.45			
6097			343741.04	1280936.91	
	S 88°45'58" E	1.20			
6098			343741.02	1280938.11	
	S 01°45'43" W	22.64			
6100			343718.39	1280937.41	
	n 88°39'49" W	216.78			
6101			343723.44	1280720.69	
	S 50°53'15" W	149.74			
6090			343628.98	1280604.50	
	N 88°45'58" W	281.00			
6091			343635.03	1280323.57	
	S 01°40'22" W	210.34			
108			343424.78	1280317.43	
	N 88°52'07" W	361.45			
6092			343431.92	1279956.04	
	N 01°40'22" E	456.91			
6075			343888.64	1279969.38	
	N 88°19'38" W	15.00			
6078			343889.08	1279954.39	
	N 01°40'22" E	208.36			
6088			344097.35	1279960.47	
	S 88°39'49" E	987.22			
6096			344074.33		
Closure Error Distance> 0.0112 Error Bearing> N 39°51'54" W					
Closure Precision> 1 in 289402.6 Total Distance> 3244.10					

Area 493620SF, 11.3319AC