

Received by Email

2/18/21

MUKILTEO
11930 Cyrus Way, Mukilteo, WA 98275 Phone: (425) 263-8000
http://mukiiteowa.gov permittech@mukiiteowa.gov

Engineering Permit Application

Application Type - Mark all those that apply

Clearing & Grading (Land Surface Modification) Per MMC 15.16.010

Per MMC 12.01.010

Stormwater Per MMC13.12

General Permit Information

PROJECT NAME: Mukilteo Plaza

PROJECT ADDRESS: 823 2nd Street, Mukilteo, WA 98275

1. CONTRACT	OR	☐ Applicant		DDA IFOT DESCRIPTION
NameL	Inknown at this time		5.	PROJECT DESCRIPTION
Address			Mixe	ed use commercial and apartment building with Internal parking.
			L_	
State License # Mukilteo License	#		6,	TOTAL PROJECT AREA (INCLUDE ROW, IF ANY) (SF) 13,500
2. PROPERTY	OWNER Tersa Tellus, Inc	☑ Applicant	7.	TOTAL SITE AREA (SF) 12,465
Address City/State/Zip	40844 Sandpiper Ct. Paim Desert, CA 982260		θ.	TOTAL GRADING QUANTITIES (CY) (Use Total from pg. 2 , #4) 3,500
Phone E-mall	bob@3sqft,blz		9,	IS A RETAINING WALL PROPOSED? YES or NO
	Jesse Jarrell (Western Er	☐ Applicant ngineers)	10.	. EXISTING SITE IMPERVIOUS SURFACE COVER (%) (Report Item 2 from Page 4)
City/State/Zip 24 HR Phone	9740 Evergreen Way Everett, WA 98204 (425) 356-2700 JesseJ@wesi.co		11	. TOTAL NEW PLUS REPLACED HARD SURFACES (SF) (Report Item 6 from Page 5) 12100
	UMBER(S)		12	A TOTAL PROPOSED LOT HARD SURFACE COVERAGE (SF) - (Report Item 7 from page 5) 12100

	nd Surface Modifica	tions)	
otal Area of Land Surface	Disturbance (SF): <u>13,500</u>		
egetation to be Removed:			
□ Evergreen Trees; ☑ Shrubs / Lawn:7,7 □ Other:		Deciduous Trees; Invasive(s); Invasive types	
Method of Land Disturbanc	ce: 🗆 Hand Clearing 🛛 🛛	Machine	
Land Disturbance Outside	the Building Footprint:		
Exported:	3,250 (CY) 250 (CY)	Imported to Sile: Other:	(CY) (CY)
Total <u>3,500</u>	(Add a	all Land Disturbance, Report	
Identify any stream, surfa-	ce water, drainage course	, wetlands, or critical areas	on or within 200 feet of the property
None observed		, wetlands, or critical areas	s on or within 200 feet of the property
None observed			
None observed etaining Walls: If a retaining wall is propos	ed, please check which app	n, wetlands, or critical areas nies (<i>Helght is measured fror</i> 2 ≤ 4 feet and not load bearl	n bottom of footing)
None observed etaining Walls: If a retaining wall is proposed	ed, please check which app	viles (Helght is measured fror	n bottom of footing)
None observed	ed, please check which app □ ≥ 4 feet E	viles (Helght is measured fror	n bottom of footing)
None observed	ed, please check which app □ ≥ 4 feet E	niles (<i>Helght is measured fror</i> ☑ ≤ 4 feet and not load bearl	n bottom of fooling) ng
None observed	ed, please check which app □ ≥ 4 feet In Cily right-of-way: ☑ Frontage Improver ☑ Sewer	niles (<i>Helght is measured fror</i> 2 ≤ 4 feet and not load bear ments ☑ D ☑ W	n bottom of fooling) ng
None observed	ed, please check which app □ ≥ 4 feet In Cily right-of-way: ☑ Frontage Improver	oiles (<i>Helght is measured fror</i> 2 ≤ 4 feet and not load bear ments ☑ D 2 W 2 C	n bottom of fooling) ng
None observed	ed, please check which app □ ≥ 4 feet In Cily right-of-way: ☑ Frontage Improver ☑ Sewer ☑ Power ☑ Power	olles (<i>Helght is measured fror</i> ⊴ ≤ 4 feet and not load bear ments ⊡ D ⊡ W ⊡ C	n bottom of fooling) ng

Stormwater

WHAT ARE HARD SURFACES and IMPERVIOUS SURFACES?

Hard surfaces include permeable pavement, decks, vegetated roofs, and all impervious surfaces. Impervious surfaces are non-vegetated surface areas that either prevent or impair water entry into the soil. These surfaces cause water to run off the surface in greater quantities or at increased flow rates from natural conditions. Common impervious surfaces include, but are not limited to, roof tops, walkways, patios, gravel, asphalt, concrete and bricked surfaces. (See MMC 17.08 for complete definition.)

Step 1. Determine if a Stormwater Permit is Needed

Does the project propose to:

	lle project bioboost		
	Add new or replace 2,000 square feet or more of hard surface area?	I YES	ШNО
Α,	Add new of replace 2,000 address to the main	V YES	
Β,	Disturb 7,000 square feet or greater of land?	E ICO	
р,		IPYES	
	a weather the Ollivia stormWater system?		

C. Connect to the City's stormwater system?

w , * =	•		
If the answer to	ANY of the above is '	YES," then a Stormwater Permit is required.	Complete entire Stormwater Permit
Application and	provide required sub	nilials.	

If the answer to ALL of the above is "NO," then a Stormwater Permit is NOT required. Complete Steps #2 through #6 and Include a Short SWPPP form with your application.

Step 2. Calculate Existing Impervious Surface Area

Enter the area for all existing impervious surfaces on the property. Only include those items that are impervious. Hard surfaces, such as porous pavement, will be considered in Step 3. If there are none to add, enter "0".

	TABLE 1 - EXISTING IN	IPERVIOUS SURFACES	
Types of improvements to consider (not a complete list)	Existing Impervious Surfaces Area (sf)	Describe area(s) included in SF (e.g. house, driveway, etc.)	
Roof Structures (all buildings)	2,900	Building Roof	
Sidewalks / Walkways	500	Accoss Walkway	
Covered Porch / Deck / Patio			
Driveway (include gravel areas)	1,300	Driveway Pad and parking	
Parking Lot (incl. gravel areas)			
Olher			
total →	Item 1 4700		

Step 3. Determine if the Project is New Development or Redevelopment

TABLE 2 - PERCENT EXISTING IM	PERVIOUS COVER CALCULATION
A. Enter the total from Item 1 above \rightarrow	4700
B. Total Site Square Footage →	12,465
Existing Site Impervious Cover % (A,+B) × 100	ltem 2 38%

Report Item 2 on Page 1, #10.

Use result for Step 7. If <35%, project is new development. If >35%, project is redevelopment ۶

Step 4. Calculate Existing Hard Surface Area

Enter any existing hard surfaces not included in the impervious surface calculation in Step 2. If there are none to add, enter "0".

	TABLE 3 - EXISTI	NG HARD SURFACES
Types of improvements t consider (not a complete i	o Existing Hard ist) Surfaces Area (sf)	Describe area(s) included in SF (e.g. house, driveway, etc.)
Green Roof Structures	0	
Porous Sidewalks / Walkway	/\$	
Porous Porch / Deck / Patlo		
Porous Driveway / Parking		
Other		
total →	Item 3 0	

> Use Item 3 In Step 6.

o:\planning\forms and brochures\engineering permit application 2017.doo

p. 4 Rev 12/12/2016

Step 5. Calculate Proposed New and Replaced Hard Surfaces

. Include all types of hard (and impervious) surfaces in the table. No "credit" is taken for replaced hard surfaces. For example, if 1,500 sf of gravel is replaced with a 1,500 sf garage, this is entered as 1,500 sf replaced hard surface. There is no deduction for the replaced gravel.

TABLE 4 – F	PROPOSED NEW PLUS REPLACED HARD SURFACE	28	
	(Enter "0" for sections not applicable to your project)	New SF	Replaced
Proposed new PLUS replaced hard surfaces	Describe area(s) included in SF? (e.g. house, driveway, etc.)		SF
Roof Structures (all buildings)	New Mixed Use Building	6,800	4,700
Green Roof (not Included above)		000	0
Sldewalks / Walkways		600	<u>U</u>
Covered Porch / Deck / Pallo			
Uncovered Porch / Deck / Patlo			
Driveway (Impervious)			
Parking (Impervious)			
Pervious Paving surfaces (all		- <u> </u>	
All Right-of-Way improvements			
Olhers		litem 4	llem 5
SUBTOTALS	$\mathbf{e}_{\mathbf{r}} = \mathbf{e}_{\mathbf{r}}$	7,400	4700
TOTAL NEW PLUS REPLACED HARD SURFACES	Addillems 4;&6	Item 6 121	00

- ➢ Report Item 6 on Page 1, #11.
- > Use Item 4 in Step 6 (do not include Item 5).

Step 6. Calculate Total Proposed Hard Surfaces


TABLE 5 - TOTAL	PROPOSED HARD SURFACI	ES
the state of Bubbaba (from Step 2)		4700
 A. Report Item 3 Subtotal (Irom Step 2) B. Report Item 3 Subtotal (Irom Step 4) 		0
C. Report Item 4 Subtotal (from Step 5)		7,400
TOTAL PROPOSED LOT HARD SURFACE COVER	Add Al B. & C	ltem 7 12100

➢ Report Item 7 on Page 1, #12.

Step 7. Determine the Stormwater Minimum Requirements

Is the result on page 1, #10; 35% or more? Ø YES

If yes, use Figure 2.4.2. If no, use Figure 2.4.1. D NO





p. 6 Rev 12/12/2016

Other

Anticipated Start Date: 04/01/2022

Anticipated Completion Date: 04/01/2023

A Department of Ecology Construction Stormwater Permit is required for projects that disturb ≥1 acre. Will your project disturb ≥1 acre of land through clearing, excavating, or stockpiling of fill? □ Yes ☑ No

If yes, complete NOI at http://www.ecy.wa.gov/programs/wg/stormwater/construction/enoi.html

A Forest Practice Permit is required for all projects removing and selling timber from the property site. Will your project remove and sell timber? □ Yes ☑ No

A Hydraulic Permit from the Department of Fish and Wildlife and / or from the Army Corps of Engineers is required for all fill, or work within, over, or under a stream or wetland. Will your project involve stream or wetland?

The list above is meant to provide guidance; it is the project applicant's responsibility to identify and obtain all required permits. All State, Federal, and/ or other applicable Permits shall be obtained and a copy provided to the City of Mukilteo prior to issuance of the City of Mukilteo Engineering Permit.

The permittee shall indemnify, defend and hold harmless the City, its officers, agents and employees, from and against any and all claims, losses or liability, including attorney's fees, arising from injury or death to persons or damage to property occasioned by the construction, installation, operation, location, maintenance, or any other cause related to the improvement for which this permit is granted. With respect to this permit and as to claims against the City, its officers, agents and employees, the permittee expressly waives its immunity under Title 51 of the Revised Code of Washington, the industrial insurance Act, for injuries to any employees the permittee may have, and agrees that the obligation to indemnify, defend and hold harmless provided for in this paragraph extend to any claim brought by or on behalf of any employee of the permittee. This waiver has been mutually negotiated by the parties as part of the permitting process and is given, as is the indemnification agreement contained within this paragraph, as consideration for issuance of a right-of-way use permit by the City. This paragraph shall not apply to any damage or injury resulting from the sole negligence of the City, its agents or employees. To the extent any of the damages or injury resulting from the sole negligence of the City, its agents or employees, it will be consumed by or resulted from the concurrent negligence of the City, its agents or employees, its obligation to indemnify, defend and hold harmless is valid and enforceable only to the extent of the negligence of the permittee, agents or employees. If any concurrent negligence of the City, its agents or employees, if any.

The acceptance of the conditions upon which this permit is granted shall be evidenced by the beginning of the installation of said FACILITIES as set forth herein.

SEE ATTACHED INSURANCE REQUIREMENTS AND ACKNOWLEDMENTS. ADDITONAL SIGNATURE REQUIRED.

THES	SAME TO BE TRUE AND CORRECT. TAGREE TO STATE //FEDERAL LAWS REGULATING ACTIVITIE IOWLEDGE THAT IT IS MY RESPONSIBILITY TO P	ERMIT APPLICATION IN ITS ENTIRETY AND KNOW COMPLY WITH ALL CONDITIONS, CITY ORDINANCES ES COVERED BY THIS PERMIT APPLICATION. I ALSO MAINTAIN PUBLIC STREETS FREE OF DIRT AND Delto
	Applicant Signature	Dale
	(If different than property owner)	

O:PLANNING/FORMS AND BROCHURES/ENGINEERING PERMIT APPLICATION 2017.DOC

page 7

ENGINEERING APPLICATION CHECKLIST

Provide the following information as part of your submittal as required in Mukilteo Municipal Code 17.13 and the City of Mukilteo Development Standards.

.

ł

Subm	itted	· · ·					
Yes	N/A	Document					
		Engineering Permit Application – 1					
\square		Stormwater Pollution Prevention Plan (SWPPP) – 3 originals					
Ē	Π	Stormwater Site Plan (Drainage Report) – 2 originals					
Π	Π	Geotechnical Report – 2 originals					
		Civil Plan Set – 3 originals					
H		Wetland and Streams Report – 2 orlginals					
		Transportation Impact Study – 1 original					
		Transportation Concurrency Evaluation and Determination of Transportation Impact Fees Form (if over 10 pm peak trips) – 1 original					
		Temporary Traffic and Pedestrian Control Plan – 2 originals					
		Soll Management Plan 2 originals					
		Tree Preservation Plan – 2 originals					
		Maximum Extent Feasible (MEF) Documentation – 1 original					
		Draft Statutory Warranty Deed (Right-of-Way Dedication), including Title Report, Map, and Real Estate Excise Tax Affidavit Form – 1 of each original					
Π		Evidence of Vesting Rights – 1 original					
	Π	Application for Alternate Material, Design, or Method of Construction – 1 original					
	Π	Application for Exception from Stormwater Minimum Requirements – 1 original					
	Π	Draft Declaration of Covenant/Maintenance Plan for Stormwater – 1 original					
	Π	Draft Access Easement for Stormwater – 1 original					
		Draft Joint-Use and Malntenance Agreement for Private Roads/Joint-use Driveways – 1 original					
		WSDOT approval if adjacent to State Route – 1 original					
		Other agency permits (list) – (1 original each)					
		Wildlife Habitat Report – 2 originals					
		Archaeology Report – 2 originals					

O:\PLANNING\FORMS AND BROCHURES\ENGINEERING PERMIT APPLICATION 2017.DOC

page 8

INSURANCE

A. Insurance Term

The Permittee shall procure and maintain for the duration of the Permit, insurance against claims for injuries to persons or damage to property which may arise from or in connection with operations or activities performed by or on the Permittee's behalf with the issuance of this Permit.

B. No Limitation

Permittee's maintenance of Insurance as required by the Agreement shall not be construed to limit the liability of the Permittee to the coverage provided by such insurance, or otherwise limit the City's recourse to any remedy available at law or in equity.

C. Minimum Scope of Insurance

Applicant shall obtain insurance of the types and coverage described below:

- <u>Commercial General Liability</u> insurance shall be at least as broad as ISO occurrence form CG 00 01 and shall cover liability arising from operations, products-completed operations, and stop-gap liability. There shall be no exclusion for liability arising from explosion, collapse or underground property damage. The City shall be named as an additional insured under the Permittee's Commercial General Liability insurance policy using ISO Additional Insured-State or Political Subdivisions-Permits CG 20 12 or a substitute endorsement providing at least as broad coverage.
- <u>Automobile Liability</u> Insurance covering all owned, non-owned, hired and leased vehicles. Coverage shall be at least as broad as insurance Services Office (ISO) form CA 00 01.

D. Minimum Amounts of Insurance

Permittee shall maintain the following insurance limits:

- 1. <u>Commercial General Liability</u> insurance shall be written with limits no less than \$1,000,000 each occurrence, \$2,000,000 general aggregate and a \$2,000,000 products-completed operations aggregate limit.
- 2. <u>Automobile Liability</u> insurance with a minimum combined single limit for bodily injury and property damage of \$1,000,000 per accident.

E. Other Insurance Provision

The Permittee's Commercial General Liability insurance policy or policies are to contain, or be endorsed to contain that they shall be primary insurance as respect to the City. Any insurance, self-insurance, or self-insured pool coverage maintained by the City shall be excess of the Applicant's insurance and shall not contribute to it.

F. Acceptability of Insurers

Insurance is to be placed with insurers with a current A.M. Best rating of not less than A:VII.

O:\PLANNING\FORMS AND BROCHURES\ENGINEERING PERMIT APPLICATION 2017.DOC

G. Verification of Coverage

Permittee shall furnish the City with original certificates and a copy of the amendatory endorsements, including the additional insured endorsement, evidencing the insurance requirements of the Permittee before Issuance of the Permit.

H. Notice of Cancellation

The Permittee shall provide the City with written notice of any policy cancellation, within two (2) business days of their receipt of such notice.

I. Failure to Maintain Insurance

Fallure on the part of the Permittee to maintain the insurance as required shall constitute a material breach of the Permit, upon which the City may, after giving five (5) business days' notice to the Permittee to correct the breach, immediately terminate the Permit, or at its discretion, procure or renew such insurance and pay any and all premiums in connection therewith, with any sums so expended to be repaid to the City on demand.

J. City Full Availability of Consultant Limits

If the Permittee maintains higher insurance limits than the minimums shown above, the City shall be insured for the full available limits of Commercial General and Excess or Umbrella liability maintained by the Permittee, irrespective of whether such limits maintained by the Permittee are greater than those required by this contract or whether any certificate of insurance furnished to the City evidences limits of liability lower than those maintained by the Permittee.

The acceptance of the conditions upon which this permit is granted shall be evidenced by the beginning of the installation of said FACILITIES as set forth herein.

ſ	I HEREBY ACKNOWLEDGE THAT I HAVE READ AND AGREE TO COMPLY WITH THE
Į	THEREBY ACKNOWEDOGE / ATTINATE TELEP THE THE THE
1	REQUIREMENTS RECARDING INSURANCE.
ł	REQUIRENTENTS REGARDING INCOMMENT
I	
l	
1	
1	Applican Signature / Date
	Applicant Oldiatal

O:\PLANNING\FORMS AND BROCHURES\ENGINEERING PERMIT APPLICATION 2017.DOC